


© lutz-blades.com



**BLADES THAT MEET HIGHEST QUALITY
STANDARDS EVERY TIME – LUTZ BLADES
AND KNIVES FOR THE AUTOMOTIVE INDUSTRY**



PRECISION. SHARPNESS. SUCCESS.
exactly

CUSTOM BLADES

FILM AND FOIL

CHEMICAL FIBRES AND FIBREGLASS

MEDICAL

FOOD

DIY

AUTOMOTIVE

TEXTILES

Reasons why you need LUTZ BLADES:



PRECISION.

Our maxim is precision – and it is this principle that accompanies every stage from the initial idea to the finished product. Right through to the ideal solution for your specific cutting application to ensure your requirements are met. Throughout every design and development stage and every production step – blade after blade after blade.



SHARPNESS.

We have been making blades and cutters since 1922. From razor-sharp, for extremely fine cutting jobs to extremely robust for impact and pressure cutting actions. Together with the customer, we define all the relevant parameters to ensure your individual requirements are met – to provide greater sharpness and better service lifetimes.

SUCCESS. exactly

Your competitive advantage when you use blades from LUTZ for automotive cutting applications is the sum of all our efforts and the details we guarantee you. We are pleased to show you those details because your success is our objective – from the first to the millionth blade.



LUTZ INDUSTRIAL BLADES AND KNIVES FOR AUTOMOTIVE OEM SUPPLIERS

We know automotive suppliers require blades that are highly efficient and manufactured with the highest quality standards.









CUSTOM BLADES | FILM AND FOIL | CHEMICAL FIBRES AND FIBREGLASS | MEDICAL | FOOD | DIY | **AUTOMOTIVE** | TEXTILES

LUTZ allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ website are subject to copyright and other proprietary rights.

Proprietary rights: The owner of the brandnames used by LUTZ is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademark "LUTZ" and "exactly", which consists of the letters "LUTZ" and "exactly" in a stylized font, all violations against trademark law regarding its trademarks.

E & OE: Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.



THIS IS HOW YOU CAN BENEFIT FROM LUTZ INDUSTRIAL BLADES AND KNIVES

- » Peak quality in cutting processes thanks to adherence to the closest tolerances and consistency throughout the production run.
- » Adaptation of the blade to meet your specific production parameters.
- » High productivity through reduction in production downtimes
- » Less scrap (e.g. from microcracks when cutting glass)
- » High degree of process dependability thanks to specific identification marks on the blades
- » Safe working methods due to simple handling, thanks to patented packaging



CUSTOM BLADES | FILM AND FOIL | CHEMICAL FIBRES AND FIBREGLASS | MEDICAL | FOOD | DIY | **AUTOMOTIVE** | TEXTILES

LUTZ allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ website are subject to copyright and other proprietary rights.


Proprietary rights: The owner of the brandnames used by LUTZ is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademark "exactly", which consists of the stylized word "exactly" in a sans-serif font, all violations against trademark law regarding its trademarks.

E & OE: Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.


Ref.	Length (mm)	Width (mm)	Thickn. (mm)
------	-------------	------------	--------------




0698.0400	59.0	18.8	0.40
-----------	------	------	------



0600.0100	60.0	22.2	0.10
0600.0130			0.13
0600.0150			0.15
0600.0200			0.20
0600.0300			0.30



1720.0400	90.4	9.1	0.40
-----------	------	-----	------




2026.0500	100.0	17.7	0.50
-----------	-------	------	------




1714.0500	96.0	12.0	0.50
-----------	------	------	------

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
------	-------------	------------	--------------




0317.0300	40.0	18.9	0.30
-----------	------	------	------



0308.0228	39.8	19.5	0.23
-----------	------	------	------




3190.0430	17.8	9.5	0.43
-----------	------	-----	------



3286.0250	variable	7.9	0.25
-----------	----------	-----	------



1024.0650	95.3	18.8	0.65
-----------	------	------	------



1251.0500	50.7	18.7	0.50
1251.0650			0.65

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
------	-------------	------------	--------------




0309.0300	11.0	18.9	0.30
-----------	------	------	------




0300.0250	40.0	19.9	0.25
-----------	------	------	------



1098.0400	51.3	18.7	0.40
-----------	------	------	------



1009.0650	49.5	18.7	0.65
-----------	------	------	------



1099.0650	51.3	18.7	0.65
-----------	------	------	------

LUTZ POINTED BLADES HAVE THE FOLLOWING CHARACTERISTICS

- » The best materials
- » Defined point radius
- » Razor-sharp on both cutting edges
- » Centred points
- » Adherence to the closest tolerances






CUSTOM BLADES | FILM AND FOIL | CHEMICAL FIBRES AND FIBREGLASS | MEDICAL | FOOD | DIY | **AUTOMOTIVE** | TEXTILES

LUTZ allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ website are subject to copyright and other proprietary rights.


Proprietary rights: The owner of the brandnames used by LUTZ is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademark 'LUTZ' and 'exactly', which consists of the letters 'LUTZ' and 'exactly' in a stylized font, all violations against trademark law regarding its trademarks.

E & OE: Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.

Ref.	Length (mm)	Width (mm)	Thickn. (mm)	Ref.	Length (mm)	Width (mm)	Thickn. (mm)	Ref.	Length (mm)	Width (mm)	Thickn. (mm)
	34.5	5.8	0.50		43.0	11.0	0.63		23.2	8.3	0.65
6401.0500			0.40	8095.0630				0024.0650			
6403.0400											
	33.3	5.8	0.50		43.3	9.3	0.50		20.8	8.6	1.00
6395.0500				0029.0500				0046.1000			
	59.4	11.1	0.65		41.5	9.1	0.63		15.5	10.0	0.70
7250.0650				0170.0630				0049.0700			
	57.0	11.1	0.65		40.2	5.9	0.50		27.0	8.5	0.63
7251.0650				8000.0500				9014.0630			
	36.0	5.5	0.50								
6390.0500											

CHOICE OF MATERIAL

Our range of products covers blades of between 0.06 and 3.0 mm in thickness and with final hardness ratings of 40 - 85 HRC.



Our range of materials includes:

- » Carbon steels
- » Stainless and rust-resistant steels
- » Highspeed steels (HSS)
- » Tool steels
- » Tungsten carbides
- » Ceramics

LUTZ allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ website are subject to copyright and other proprietary rights.

Proprietary rights: The owner of the brandnames used by LUTZ is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademark LUTZ exactly, which consists of the wordmark LUTZ exactly and the LUTZ exactly logo consisting of the wordmark LUTZ exactly and the LUTZ exactly logo.

E & OE: Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.

CUTTING EDGE SHAPES

For the definition of edge type and bevel configuration see the following matrix:



LUTZ allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ website are subject to copyright and other proprietary rights.


Proprietary rights: The owner of the brandnames used by LUTZ is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademark symbols LUTZ, which consist of the letters LUTZ in a stylized font, all violations against trademark law regarding its trademarks.

E & OE: Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.

		single edged	double edged	convex	concave
one sided		a	g	m	t
		b	h	n	u
		c	i	o	v
two sided		d	j	p	w
		e	k	r	x
		f	l	s	y

COATINGS

Sharpness
Quality of the cut



The LUTZ coatings range includes the following choices:

TiN

Standard hard coating with tough resistance to wear with a relatively high coefficient of friction (compared with steel as a reference material: 0.4 to 0.7), usually gold coloured, safe use at up to approx. 300 °C.

TiC

Has lower resistance to wear than TiN and a considerably lower coefficient of friction (compared with steel as a reference material: 0.3 to 0.5), usually charcoal grey.

TiCN

Takes a position between the high wear resistance of TiN and the low coefficient of friction of TiC, relative position between TiN and TiC depending on C and N content, usually charcoal grey.

TiAlN

Has greater resistance to oxidation than TiN with a comparable coefficient of friction, usually charcoal grey.

ZrN

With wear resistance similar to TiN, but with a more dense morphology than TiN and, as a result, more resistant to pitting under comparable load, usually steel colour.

CrN

Lower wear resistance than TiN. The advantage of CrN is it has a lower inherent tension than TiN. As a result, can be used for applications with high bending loads.

DLC

Has a high wear resistance and a low coefficient of friction (approx. 0.4 compared with steel as a reference); sensitive to impacts and high temperatures (between 100° and 300 °C depending on structure).

Teflon® (PTFE)

Non-stick coating Teflon® (PTFE), very low static friction allows a smooth cut, therefore a popular coating for medical devices. Because of the low surface tension almost no contamination from the cut goods. Acid and base-resistant, not suitable in combination with Na (sodium). Temperature resistant up to 250°C (480°F). Medium wear resistance.

Coloured lacquer

Applied to entire surface, acts as an aid to sorting different material thicknesses and as anticorrosion protection.

Blueing and blackening

Applied to entire surface, some anticorrosion protection and thickness protection, also aids differentiation.

LUTZ allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ website are subject to copyright and other proprietary rights.

Proprietary rights: The owner of the brandnames used by LUTZ is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademark 'LUTZ' and 'exactly', which consists of the letters 'LUTZ' and 'exactly' in a stylized font, as well as all variations against trademark law regarding its trademarks.

E & OE: Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.